

1000QHB-40型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	2302	16.4	490	450	500	82	5000	870	1400-1500
	0	2679	13.1		405		85			
	0	2921	12.0		417		82			
"-2°	0	2472	17.4		513	560	82			
	0	2967	14.2		485		85			
	0	3275	12.5		489		82			
0°	0	2675	18.3		584	630	82	5100		
	0	3214	15.5		569		86			
	0	3600	13.1		565		82			
"+2°	0	2846	18.9		644	710	82	5250		
	0	3462	16.5		651		86			
	0	3854	13.9		637		82			
"+4°	0	3096	19.6		724	800	82	5350		
	0	3709	17.5		741		86			
	0	4088	15.0		731		82			

1000QHB-50型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1390	12.3	490	207	250	74	3850		1400-1500
	0	1824	8.8		183		81			
	0	2066	6.3		153		75			
"-2°	0	1527	13.0		240	280	77	4050		
	0	2052	9.5		220		82			
	0	2257	6.4		175		74			
0°	0	1641	13.5		269	315	78	4250		
	0	2188	10.0		250		83			
	0	2485	6.5		195		75			
"+2°	0	1801	14.3		312	355	80	4450		
	0	2416	10.5		288		83			
	0	2735	6.8		224		75			

1000QHB-50A型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1477	11.0	490	199	220	80	3650		1400-1500
	0	1824	7.9		167		85			
	0	2098	3.1		79		80			
"-2°	0	1550	11.6		221	250	80	3850		
	0	2052	8.3		196		86			
	0	2371	5.1		148		80			
0°	0	1687	12.1		250	280	80	4050		
	0	2211	8.8		222		86			
	0	2599	5.3		169		80			
"+2°	0	1824	12.5		281	315	80	4250		
	0	2325	9.7		257		86			
	0	2781	5.6		192		80			

1000QHB-70型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸

安装角度	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1871	8.0	490	180	200	81	3650	870	1400-1500
	0	2143	6.1		152		84			
	0	2209	5.6		145		84			
	0	2217	5.5		143		84			
	0	2456	3.8		111		81			
"-2°	0	2052	8.6		219	250	81	3850		
	0	2234	7.6		192		84			
	0	2464	6.1		168		85			
	0	2712	4.4		151		84			
	0	2811	3.6		123		81			
0	0	2332	9.0		254	280	81	4050		
	0	2522	8.0		237		84			
	0	2835	6.0		197		86			
	0	3017	4.8		170		84			
	0	3124	3.9		148		81			
"+2°	0	2539	9.6		294	315	81	4250		
	0	2687	8.9		281		84			
	0	3041	6.9		241		86			
	0	3371	4.8		190		84			
	0	3503	4.0		170		81			
"+4°	0	2769	9.9		332	400	81	4600		
	0	2967	9.1		316		84			
	0	3330	7.1		272		85			
	0	3626	5.3		224		84			
	0	3791	4.3		198		81			
"+6°	0	3050	10.1		371		81			
	0	3297	8.8		341		84			
	0	3536	7.8		319		85			
	0	3874	6.0		270		84			
	0	3956	5.4		257		81			

1200QZB-40型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-6°	0	2330	4.9	485	409	400	83	5122	969.5	1600-1800
	0	3580	3.0		391		84			
	0	2730	1.2		361		83			
"-4°	0	2450	17.3		501	630	83	5622		
	0	2870	14.5		474		86			
	0	3280	10.9		422		83			
"-2°	0	2650	19.0		595		83			
	0	3200	15.5		559		87			
	0	3650	11.3		485		83			
0	0	2817	19.9		662	700	83	5772		
	0	3470	16.6		649		87			
	0	4000	12.2		574		83			
"+2°	0	3117	21.0		773	850	83	5872		
	0	3780	17.7		754		87			
	0	4370	13.2		681		83			
"+4°	0	3400	21.7		869	900	83			
	0	4100	18.5		856		87			
	0	4670	14.3		789		83			

1200QHB-50型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	2010	15.0	480	365	400	81	5122	978.6	1600-1800
	0	2417	12.0		337		84			
	0	2755	9.2		292		85			
"-2°	0	2307	15.2		421		82			
	0	2900	11.3		373		86			
	0	3144	8.4		317		82			
0	0	2700	15.0		474	520	84	5522		
	0	3146	12.0		428		86			
	0	3450	9.0		374		82			
"+2°	0	2908	16.1		548	600	84	5622		
	0	3309	14.2		527		87			
	0	3576	12.2		490		87			

1400QZB-50型潜水混流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	3050	14.0	365	517	630	81	5532		1800-2000
	0	4000	10.0		458		86			
	0	4400	7.2		383		81			
"-2°	0	3350	14.8		600		81			
	0	4500	10.8		550		87			
	0	4950	7.3		437		81			
0	0	3600	15.4		671	800	81	5782		
	0	4800	11.5		624		87			
	0	5450	7.4		488		81			
"+2°	0	3950	16.3		777		81			
	0	5300	12.0		719		87			
	0	6000	7.7		553		81			

1400QHB-50A型潜水混流泵																	
QZB与QZ为相同型号																	
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸							
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm							
"-4°	0	3100	12.5	365	469	500	81	5432	1274	1800-2000							
	0	4000	9.0		412		87										
	0	4600	3.5		306		81										
"-2°	0	3400	13.3		545	630	81	5532			1274	1800-2000					
	0	4500	9.5		483		87										
	0	5200	5.8		365		81										
0	0	3700	13.8		618		81						5532	1274	1800-2000		
	0	4850	10.0		548		87										
	0	5700	6.1		417		81										
"+2°	0	4000	14.3		692	800	81	5782								1274	1800-2000
	0	5100	11.0		634		87										
	0	6100	6.4		472		81										