

150QJ10										
高度重量仅供参考										
编号 NO.	型号 Type	流量 Flow rate m³ /h	扬程 Head m	配用功 率 Power kw	外径 outside diameter mm	出水口 经 Outlet diameter	配用电线截 面积 cable section mm²	机组高 度 Height mm	机组重 量 Weight kg	
1	150QJH10-28	10	28	3	138	2”	3	1280	59	
2	150QJH10-37		37	4			3	1390	71	
3	150QJH10-46		46	5.5			4	1505	82	
4	150QJH10-56		55	7.5			4	1670	90	
5	150QJH10-65		65	7.5			4	1760	95	
6	150QJH10-74		74	9.2			6	1900	104	
7	150QJH10-84		84	9.2			6	1990	109	
8	150QJH10-93		93	11			6	2150	120	
9	150QJH10-102		102	11			6	2240	125	
10	150QJH10-112		112	13			10	2375	137	
11	150QJH10-121		121	13			10	2465	142	
12	150QJH10-130		130	15			10	2610	152	
13	150QJH10-140		140	15			10	2700	162	
14	150QJH10-149		149	18.5			16	2850	167	
15	150QJH10-158		158	18.5			16	2940	172	
16	150QJH10-167		167	18.5			16	3030	177	
17	150QJH10-177		177	22			16	3190	205	
18	150QJH10-186		186	22			16	3280	213	
19	150QJH10-233		233	25			25	3830	253	
20	150QJH10-279		279	30			25	4380	289	
21	150QJH10-325		325	37	145		35	4930	326	
22	150QJH10-372		372	45			35	5480	361	

150QJ20									
高度重量仅供参考									
编号 NO.	型号 Type	流量 Flow rate m³ /h	扬程 Head m	配用功 率 Power kw	外径 outside diameter mm	出水口 经 Outlet diameter	配用电线截 面积 cable section mm²	机组高 度 Height mm	机组重 量 Weight kg
1	150QJH20-28	20	28	4	138	2”	3	1305	69
2	150QJH20-38		38	5.5			4	1425	75
3	150QJH20-47		47	7.5			4	1595	90
4	150QJH20-57		57	7.5			4	1690	96
5	150QJH20-67		67	9.2			6	1835	106
6	150QJH20-75		75	11			6	2000	118
7	150QJH20-85		85	11			6	2095	124
8	150QJH20-94		94	13			10	2235	137
9	150QJH20-103		103	15			10	2385	148
10	150QJH20-113		113	15			10	2480	154
11	150QJH20-122		122	18.5			16	2635	165
12	150QJH20-132		132	18.5			16	2730	171
13	150QJH20-141		141	18.5			16	2825	177
14	150QJH20-150		150	22			16	2990	209
15	150QJH20-160		160	22			16	3085	215
16	150QJH20-169		169	22			16	3180	221

17	150QJH20-179		179	25	145		16	3355	232
18	150QJH20-188		188	25			16	3450	238
19	150QJH20-235		235	30			25	4025	279
20	150QJH20-282		282	37			35	4600	321
21	150QJH20-239		329	45			35	5172	361

150QJ25 高度重量仅供参考									
编号 NO.	型号 Type	流量 Flow rate m³/h	扬程 Head m	配用功率 Power kw	外径 outside diameter mm	出水口径 Outlet diameter	配用电线截面积 cable section mm²	机组高度 Height mm	机组重量 Weight kg
1	150QJH25-24	25	24	3	138	2.5”	4		
2	150QJH25-32		32	4			4		
3	150QJH25-40		40	5.5			4		
4	150QJH25-48		48	5.5			4		
5	150QJH25-56		56	7.5			4		
6	150QJH25-64		64	7.5			4		
7	150QJH25-72		72	9.2			6		
8	150QJH25-80		80	9.2			6		
9	150QJH25-88		88	11			6		
10	150QJH25-96		96	11			6		
11	150QJH25-104		104	13			6		
12	150QJH25-112		112	13			6		
13	150QJH25-120		120	15			6		
14	150QJH25-128		128	15			6		
15	150QJH25-136		136	18.5			10		
16	150QJH25-144		144	18.5			10		
17	150QJH25-152		152	18.5			10		

150QJ32 高度重量仅供参考									
编号 NO.	型号 Type	流量 Flow rate m³/h	扬程 Head m	配用功率 Power kw	外径 outside diameter mm	出水口径 Outlet diameter	配用电线截面积 cable section mm²	机组高度 Height mm	机组重量 Weight kg
1	150QJH32-12	32	12	4	138	2.5”	4		
2	150QJH32-18		18	4			4		
3	150QJH32-24		24	4			4		
4	150QJH32-30		30	5.5			4		
5	150QJH32-36		36	5.5			4		
6	150QJH32-42		42	7.5			6		
7	150QJH32-48		48	9.2			6		
8	150QJH32-54		54	9.2			6		
9	150QJH32-60		60	11			6		
10	150QJH32-66		66	11			6		
11	150QJH32-72		72	13			6		
12	150QJH32-78		78	13			6		
13	150QJH32-84		84	13			6		
14	150QJH32-90		90	15			6		
15	150QJH32-96		96	15			6		
16	150QJH32-102		102	18.5			6		
17	150QJH32-108		108	18.5			10		

18	150QJH32-114		114	18.5			10		
150QJ40-50 高度重量仅供参考									
编号 NO.	型号 Type	流量 Flow rate m³/h	扬程 Head m	配用功率 Power kw	外径 outside diameter mm	出水口径 Outlet diameter	配用电线截面积 cable section mm²	机组高度 Height mm	机组重量 Weight kg
1	150QJH40-8	40	8	3	138	2.5"	2.5		
2	150QJH40-16		16	4			2.5		
3	150QJH40-24		24	5.5			4		
4	150QJH40-32		32	7.5			4		
5	150QJH40-40		40	9.2			4		
6	150QJH40-48		48	9.2			6		
7	150QJH40-56		56	11			6		
8	150QJH40-64		64	13			6		
9	150QJH40-72		72	15			6		
10	150QJH40-80		80	18.5			6		
11	150QJH40-88		88	18.5			6		
12	150QJH40-96		96	18.5			6		
13	150QJH50-6	50	6	3			2.5		
14	150QJH50-12		12	4			4		
15	150QJH50-18		18	5.5			4		
16	150QJH50-24		24	7.5			4		
17	150QJH50-30		30	9.2			4		
18	150QJH50-36		36	9.2			6		
19	150QJH50-42		42	11			6		
20	150QJH50-48		48	13			6		
21	150QJH50-54		54	15			6		
22	150QJH50-60		60	18.5			6		
23	150QJH50-66		66	18.5			6		
24	150QJH50-72		72	18.5			6		

当用户使用条件超出此范围时，请用户描述具体使用要求，
我们可以按照用户得要求设计不同流量、扬程的潜水电泵，
以满足用户的使用需求。