

编号 NO.	型号 Type	流量 Flow rate m ³ /h	扬程 Head m	配用功率 Power kw	转速r/min	外径 outside diameter mm
1	400QJW450-39	450	39	75	2875	320
2	400QJW450-78		78	150		
3	400QJW450-117		117	220		
4	400QJW450-156		156	300		360
5	400QJW450-195		195	410		
6	400QJW500-34	500	34	75	2875	320
7	400QJW500-69		68	150		
8	400QJW500-102		102	220		
9	400QJW500-136		136	300		360
10	400QJW500-170		170	410		
11	400QJW550-17	550	17	45	1450	340
12	400QJW550-34		34	90		
13	400QJW550-51		51	140		
14	400QJW550-68		68	180		
15	400QJW550-85		85	220		
16	400QJW550-102		102	260		360
17	400QJW550-119		119	300		
18	400QJW550-136		136	350		
19	400QJW550-153		153	410		
20	400QJW600-14		14	45		340
21	400QJW600-28		28	90		
22	400QJW600-42		42	140		

23	400QJW600-56	600	56	180	1450	360
24	400QJW600-70		70	220		
25	400QJW600-84		84	260		
26	400QJW600-98		98	300		
27	400QJW600-112		112	350		
28	400QJW600-126		126	410		
29	400QJW650-11	650	11	45	1450	340
30	400QJW650-21		21	90		
31	400QJW650-31		31	140		
32	400QJW650-41		41	180		
33	400QJW650-51		51	220		360
34	400QJW650-61		61	260		
35	400QJW650-71		71	300		
36	400QJW650-81		81	350		
37	400QJW650-91		91	410		
38	600QJW600-34	600	34	110	1450	520
39	600QJW600-68		68	225		
40	600QJW600-102		102	315		
41	600QJW600-136		136	400		
42	600QJW600-170		170	520		
43	600QJW900-30	900	30	110	1450	520
44	600QJW900-60		60	225		
45	600QJW900-90		90	315		
46	600QJW900-120		120	400		

47	600QJW900-150		150	520		
48	600QJW1100-24	1100	24	110	1450	520
49	600QJW1100-48		48	225		
50	600QJW1100-72		72	315		
51	600QJW1100-96		96	400		
52	600QJW1100-120		120	520		

出水口径 Outlet diameter inch
8"
8"
10"

10"

10"

12"

12"

