

800QZB-50型潜水轴流泵

QZB与QZ为相同型号

安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1570	11.1	590	223	250	78	3250	750	1200-1400
	0	1800	9.4		208		81			
	0	2135	5.2		156		75			
"-2°	0	1670	11.3		238	250	79	3250		
	0	1910	9.6		225		82			
	0	2280	5.4		172		76			
0°	0	1780	11.5		256	280	79	3400		
	0	2035	9.8		244		82			
	0	2435	5.6		189		76			
"+2°	0	1915	11.6		278	310	80	3550		
	0	2155	9.9		265		82			
	0	2575	57		206		75			
"+4°	0	2085	11.8		307	330	80	3550		
	0	2315	10.2		291		81			
	0	2715	5.9		225		75			

800QZB-50J型潜水轴流泵

QZB与QZ为相同型号

安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1270	7.9	490	128	155	78	2950	750	1200-1400
	0	1520	6.3		117		81			
	0	1785	3.5		87		75			
"-2°	0	1350	7.9		137	155	79	2950		
	0	1615	6.5		127		82			
	0	1910	3.6		96		76			
0°	0	1410	8.0		147	155	79	2950		
	0	1715	6.6		138		82			
	0	2035	3.7		106		76			
"+2°	0	1555	8.2		160	185	80	3100		
	0	1817	6.7		149		82			
	0	2150	3.8		116		75			
"+4°	0	1494	8.4		177	200	80	3200		
	0	1945	6.9		164		81			
	0	2263	3.9		127		75			

800QZB-70型潜水轴流泵

QZB与QZ为相同型号

安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1285	7.6	590	126	155	78	2950	750	1200-1400
	0	1510	5.4		100		81			
	0	1665	3.6		77		75			
"-2°	0	1385	7.7		136	155	79	2950		
	0	1650	5.5		112		82			
	0	1825	3.7		85		76			
0°	0	1475	7.8		146	155	79	2950		
	0	1755	5.6		122		82			
	0	1965	3.9		94		76			
"+2°	0	1610	8.0		163	185	80	3200		
	0	1900	5.8		137		82			
	0	2124	4.0		107		75			

" +4°	0	1720	8.1		179	185	80	3200		
	0	2005	6.0		149		81			
	0	2220	4.1		117		75			

800QZB-70J型潜水轴流泵

QZB与QZ为相同型号

安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
″-4°	0	985	5.9	490	77	90	78	2650	750	1200-1400
	0	1210	4.1		61		81			
	0	1335	2.9		49		75			
″-2°	0	1045	5.9		81	90	79	2650		
	0	1315	4.2		68		82			
	0	1463	3.0		55		76			
0°	0	1113	6.0		89	90	79	2650		
	0	1397	4.3		74		82			
	0	1570	3.2		60		76			
″+2°	0	1220	6.2		100	110	80	2750		
	0	1515	4.5		83		82			
	0	1695	3.3		67		75			
″+4°	0	1300	6.2		110	132	80	2950		
	0	1605	4.6		90		81			
	0	1780	3.3		73		75			

800QZB-70*型潜水轴流泵

QZB与QZ为相同型号

安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1815	9.3	590	221	250	78	3250	750	1200-1400
	0	2070	7.9		202		81			
	0	2300	5.9		173		75			
"-2°	0	1960	9.4		235	250	79	3250		
	0	2200	8.0		214		82			
	0	2445	6.0		185		76			
0°	0	2085	9.4		248	280	79	3390		
	0	2340	8.1		228		82			
	0	2600	6.1		199		76			
"+2°	0	2225	9.5		262	280	80	3390		
	0	2475	8.2		243		82			
	0	2750	6.3		214		75			
"+4°	0	2385	9.6		280	315	80	3500		
	0	2683	8.4		263		81			
	0	2910	6.4		232		75			

800QZB-70*J型潜水轴流泵

QZB与QZ为相同型号

安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1555	6.3	490	125	160	78	3250	750	1200-1400
	0	1725	5.5		115		81			
	0	1945	3.8		95		75			
"-2°	0	1655	6.4		133	160	79	3250		
	0	1825	5.6		123		82			
	0	2070	3.9		101		76			
0°	0	1750	6.5		141	160	79	3250		
	0	1930	5.7		132		82			
	0	2200	4.0		110		76			

"-2°	0	1850	6.6		150	185	80	3400		
	0	2030	5.9		140		82			
	0	2325	4.1		119		75			
"-4°	0	1960	6.8		161	185	80	3400		
	0	2145	6.0		153		81			
	0	2455	4.2		129		75			

800QZB-85型潜水轴流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1465	7.3	590	140	160	78	2950	750	1200-1400
	0	1690	5.4		113		81			
	0	1855	3.7		89		75			
"-2°	0	1605	7.3		156	185	79	3100		
	0	1845	5.5		126		82			
	0	2010	3.8		100		76			
0°	0	1735	7.4		171	185	79	3100		
	0	1975	5.6		138		82			
	0	2145	3.9		109		76			
"+2°	0	1830	7.5		180	200	80	3250		
	0	2110	5.7		150		82			
	0	2300	4.1		122		75			
"+4°	0	1965	7.6		192	220	80	3250		
	0	2260	5.8		164		81			
	0	2455	4.2		134		75			

800QZB-85J型潜水轴流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1205	5.1	490	80	90	78	2650	750	1200-1400
	0	1410	3.7		64		81			
	0	1535	2.6		51		75			
"-2°	0	1320	5.1		90	110	79	2750		
	0	1535	3.8		72		82			
	0	1665	2.7		57		76			
0°	0	1425	5.2		99	110	79	2750		
	0	1645	3.9		79		82			
	0	1775	2.8		63		76			
"+2°	0	1500	5.3		104	110	80	2750		
	0	1755	4.0		86		82			
	0	1905	2.9		70		75			
"+4°	0	1610	5.3		111	132	80	2950		
	0	1875	4.0		94		81			
	0	2030	3.0		78		75			

800QZB-100型潜水轴流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1525	6.23		120	132	78	2650		
	0	1785	4.29		92		81			
	0	1945	2.9		71		75			
"-2°	0	1665	6.3		132	160	79	2750		
	0	1930	4.4		101		82			
	0	2100	3.0		79		76			

0°	0	1800	6. 4	590	144	160	79	2750	750	1200-1400
	0	2075	4. 5		112		82			
	0	2245	3. 2		88		76			
″+2°	0	1935	6. 5		158	185	80	3100		
	0	2225	4. 6		123		82			
	0	2400	3. 3		99		75			
″+4°	0	2065	6. 6		175	185	80	3100		
	0	2370	4. 8		135		81			
	0	2560	3. 5		110		75			

800QZB-100J型潜水轴流泵										QZB与QZ为相同型号	
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸	
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm	
"-4°	0	1260	4.4	490	69	75	78	2600	750	1200-1400	
	0	1495	2.9		52		81				
	0	1620	2		40		75				
"-2°	0	1370	4.5		76	90	79	2650			
	0	1610	3		57		82				
	0	1745	2.1		45		76				
0°	0	1485	4.6		83	90	79	2650			
	0	1730	3.1		63		82				
	0	1865	2.2		50		76				
"-2°	0	1590	4.7		91	110	80	2750			
	0	1850	3.2		70		82				
	0	1995	2.3		57		75				
"-4°	0	1698	4.6		102	110	80	2750			
	0	1971	3.2		77		81				
	0	2121	2.4		63		75				

800QZB-125型潜水轴流泵											QZB与QZ为相同型号	
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸		
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm		
"-4°	0	1295	4.9	590	83	90	78	2650	750	1200-1400		
	0	1565	3.3		65		81					
	0	1760	1.9		45		75					
"-2°	0	1635	5.0		107	132	79	2850				
	0	1895	3.5		84		82					
	0	2100	2.1		59		76					
0°	0	1930	5.2		133	160	79	2950				
	0	2218	3.8		106		82					
	0	2455	2.5		79		76					
"-2°	0	2175	5.4		157	185	80	3100				
	0	2490	4.0		127		82					
	0	2745	2.8		101		75					
"-4°	0	2505	5.7		200	200	80	3200				
	0	2835	4.4		159		81					
	0	3090	3.2		133		75					

800QZB-125J型潜水轴流泵 QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-4°	0	1086	3.3		47	55	78	2450		
	0	1309	2.2		36		81			
	0	1502	1.1		22		75			

"-2°	0	1360	3.5	730	61	75	79	2450	750	1200-1400
	0	1574	2.4		47		82			
	0	1783	1.3		30		76			
0°	0	1600	3.6		76	90	79	2650		
	0	1839	2.6		61		82			
	0	2075	1.6		43		76			
"+2°	0	1795	3.8		91	110	80	2750		
	0	2055	2.8		73		82			
	0	2310	1.8		56		75			
"+4°	0	2060	4.0		116	132	80	2950		
	0	2330	3.1		93		81			
	0	2585	2.1		75		75			

800QZB-160型潜水轴流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-2°	0	1850	3.2	590	77	90	79	2650	750	1200-1400
	0	1995	2.5		64		82			
	0	2130	1.8		50		76			
0°	0	2105	3.4		92	110	79	2750		
	0	2250	2.7		77		82			
	0	2370	2.0		62		76			
"+2°	0	2360	3.6		113	132	80	2850		
	0	2510	2.9		93		82			
	0	2620	2.2		76		75			

800QZB-160J型潜水轴流泵										
QZB与QZ为相同型号										
安装角度	流量Q		扬程	转速	功率N		效率	机组高度	叶轮直径	井筒尺寸
	m³/h	L/S	m	r/min	轴功率	电机功率	%	mm	mm	mm
"-2°	0	1516	2.3	490	45	55	79	2450	750	1200-1400
	0	1648	1.8		37		82			
	0	1727	1.4		31		76			
0°	0	1720	2.4		55	75	79	2550		
	0	1853	1.9		45		82			
	0	1927	1.6		38		76			
"+2°	0	1916	2.6		66	75	80	2550		
	0	2065	2.1		55		82			
	0	2135	1.7		48		75			